



NOTES

1. MATERIAL: UVFS
2. CLEAR APERTURE: 22 mm
3. CENTER APERTURE: 355 nm
4. FWHM: 3 nm
5. TRANSMITTED WAVEFRONT: $\lambda @ 633 \text{ nm}$
6. SURFACE QUALITY: 60/40(S/D)
7. COATING: BANDPASS FILTER, 0° AOI
 Tabs > 88% @ 355 nm;
 ODabs ≥ 5, ODavg ≥ 6 @ 320 nm–350 nm;
 ODabs ≥ 6 @ 359 nm–390.5 nm;
 ODabs ≥ 5 @ 358.5 nm–460 nm;

| | | | | | | |
|--|--------|-------------|--|--------|-------|-----|
| DRAWING PROJECTION | | | LBTEK | | | |
| | NAME | DATE | | | | |
| DRAWN | LZHOU | JUL./1st/24 | RAMAN FILTER $\phi 25 \text{ mm}$, CWL=355 nm, FWHM=3 nm | | | |
| APPROVAL | WCHENG | JUL./1st/24 | MATERIAL | WEIGHT | SCALE | REV |
| FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES | | | UVFS | 1.5 g | 2:1 | A |