



NOTES:

1. DESIGN WAVELENGTH: 633.0 nm
2. DEFLECTION ANGLE: 4.7 °
3. CLEAR APERTURE:  $\varnothing 20.0$  mm
4. PROPORTION OF ZERO LEVEL: < 4 %
5. DIAMETER TOLERANCE: +0.0/-0.1 mm
6. THICKNESS TOLERANCE:  $\pm 0.1$  mm
7. SURFACE QUALITY: 40/20(S/D)
8. AR COATING(S1, S2):  $R_{avg} < 0.5 \% @ 400-700$  nm

DRAWING PROJECTION			<b>LBTEK</b>			
	NAME	DATE	PBA25-633-47			
DRAWN	XLIU	Dec./7th/2	D=25.4 mm, $\theta=4.7^\circ$ , $\lambda=633.0$ nm, AR COATING 400-700 nm			
APPROVAL	SHAN	Dec./7th/2	MATERIAL	WEIGHT	SCALE	REV
FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES			N-BK7/LIQUID CRYSTAL POLYMER	0.04 Kg	2:1	A