




ASPHERIC COEFFICIENTS

$$z = \frac{Y^2}{R(1 + \sqrt{1 - (1 + k)Y^2/R^2})} + A_4Y^4$$

	R	k	A4
S1	9.415	-0.6392	1.7E-05
S2	PLANO	-	-

ASPHERIC LENS EQUATION



NOTES

- MATERIAL: B270
- DESIGN WAVELENGTH: 633.0 nm
- WORKING WAVELENGTH: 400 nm-700 nm
- NUMERICAL APERTURE: 0.52
- F/#: 1.01
- FOCAL LENGTH: 18.1 mm
- FOCAL LENGTH TOLERANCE: ±8%
- BACK FOCAL LENGTH(REF): bf=13.0 mm
- CLEAR APERTURE: >90%CA
- DIAMETER TOLERANCE: +0.0/-0.5 mm
- THICKNESS TOLERANCE: ±0.3 mm
- CHAMFER: 0.2 mm, 45°
- SURFACE QUALITY: 80-50 SCRATCH-DIG
- CENTRATION: <30 arcmin
- MAXIMUM TEMPERATURE: 250 °C(482 °F)
- AR COATING: Ravg<0.5%@400 nm-700 nm, 6° AOI

DRAWING PROJECTION			<b>LBTEK</b>			
	NAME	DATE	AC4505-A			
DRAWN	BSHU	Aug./1st/24	Ø 20.0 mm, F=18.1 mm, NA=0.52 ASPHERIC CONDENSER LENS AR COATING 400-700 nm			
APPROVAL	WCHENG	Aug./1st/24	MATERIAL	WEIGHT	SCALE	REV
FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES			B270	3.88g	2:1	A