



NOTES

1. DESIGN WAVELENGTH: 587.6 nm
2. OPERATION WAVELENGTH: 350nm-2.0 μm
3. DIAMETER TOLERANCE: +0.0/-0.1 mm
4. THICKNESS TOLERANCE: ±0.1 mm
5. FOCAL LENGTH: f=20 mm±1%
6. BACK FOCAL LENGTH(REF): bf=17.3 mm
7. CLEAR APERTURE: >90%CA
8. SURFACE QUALITY(S/D) (S1.S2) : 40/20
9. SURFACE FLATNESS (S1) :  $\lambda/2$  @ 632.8 nm
10. SURFACE POWER (S2) :  $3\lambda/2$  @ 632.8 nm
11. SURFACE IRREGULARITY (S2) :  $\lambda/4$  @ 632.8 nm
12. CENTRATION: <3 arcmin
13. CHAMFER: <0.2 mm, 45°
14. COATING (S1, S2) : UNCOATED

DRAWING PROJECTION			<b>LBTEK</b>			
	NAME	DATE	CX10304			
DRAWN	BSHU	JUL./19th/24	$\phi$ 12.7 mm, f=20 mm PLANO CONVEX LENS UNCOATED			
APPROVAL	WCHENG	JUL./19th/24	MATERIAL	WEIGHT	SCALE	REV
FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES			N-BK7	0.91 g	5:1	A