



剖面 A-A

NOTE:

1. COMPONENT MATERIAL: Polarizer Film/N-BK7
2. COMPONENT DIAMETER:  $\varnothing 24 +0/-0.1$  mm
3. COMPONENT THICKNESS:  $3.2 \pm 0.1$  mm
4. CLEAR APERTURE:  $\varnothing 21.5$  mm
5. WORKING WAVELENGTH: 400-700 nm
6. SURFACE QUALITY(S/D): 40/20
7. EXTINCTION RATIO:  $>500: 1(400-450$  nm)  
 $>5000: 1(450-700$  nm)
8. AR coating(S1, S2):  $R_{avg} < 0.5\% @ 400-700$  nm



|  |        |             |                       |        |       |     |
|--|--------|-------------|-----------------------|--------|-------|-----|
| DRAWING PROJECTION                                     |        |             | <b>LBTEK</b>          |        |       |     |
|  |        |             |                       |        |       |     |
|  | NAME   | DATE        | FLP25-VIS-M           |        |       |     |
| DRAWN  | SHAN   | Aug./5th/24 | FILM LINEAR POLARIZER |        |       |     |
| APPROVAL   | WCHENG | Aug./5th/24 | MATERIAL              | WEIGHT | SCALE | REV |
| FOR INFORMATION ONLY<br>NOT FOR MANUFACTURING PURPOSES |        |             | Polarizer Film/N-BK7  | 4.60 g | 2:1   | B   |